

INDEX MAPS.

T. 19N, R. 6E. 2nd Mer.

	318	318	318	317	317	316						
320	6	344	5	338	4	334	3	329	2	325	1	316
	344	344	337	333	329	325						
320	7	343	8	337	9	333	10	329	11	324	12	315
	343	342	337	332	328	324						
320	18	342	17	336	16	332	15	328	14	323	13	315
	342	341	336	332	328	328						
320	19	341	20	336	21	331	22	327	23	323	24	315
	340	340	335	331	327	322						
319	30	340	29	335	28	330	27	326	26	322	25	315
	339	339	334	330	326	321						
319	31	338	32	334	33	330	34	326	35	321	36	314
	314	314	313	313	313	313						

Meanders 345

Meanders 345

T. 20N, R. 6E. 2nd Mer.

	356		356		356		356		355		355	
358	6	383	5	376	4	372	3	368	2	363	1	355
	382		382		376		372		367		362	
358	7	382	8	376	9	371	10	367	11	362	12	355
	381		381		375		371		366		361	
358	18	380	17	375	16	371	15	366	14	361	13	354
	380		380		375		370		365		360	
357	19	379	20	374	21	370	22	365	23	360	24	354
	379		379		374		369		364		360	
357	30	378	29	373	28	369	27	364	26	359	25	354
	378		377		373		368		364		359	
357	31	377	32	372	33	368	34	363	35	358	36	353
	353		352		352		352		351		351	

Meanders 383

Meanders 383

Township Lines.

Chs. 1st. South Boundary.

Bearings at corner of T. 19 & 20 N, R. 6 & 7 E

a Beech 10 in. dia. bears N 10 W 32 1/2 Mts. dist. 8

a Do 12 " " " S 12 W 19 " " "

West on the S. Boundary of Sec. 36

33. 16 set post on right bank of White River from which

a Buckeye 12 in. dia. bears N 46 W 8 1/2 Mts. dist. 4

a Redbud 5 " " " S 53 W 5 " " "

36. 7 1/2 set post on left bank of White River from which

a Buckeye 10 in. dia. bears S 35 W 55 Mts. dist.

(No other Bearing tree)

40. 00 set g. sec. post from which

a Buckeye 12 in. dia. bears S 37 W 15 Mts. dist. 8

a Hickory 18 " " " S 86 E 24 " " "

51. 94 set post on left bank of White River from which

a Sycamore 18 in. dia. bears N 21 E 23 Mts. dist. 4

a Do 24 " " " S 67 W 12 " " "

55. 79 set post on right bank of White R. from which

a W. Oak 14 in. dia. bears N 26 E 12 Mts. dist. 8

a Do 10 " " " S 5 W 8 " " "

76. 00 a Road, N W & S E

80. 00 set post cor. of sec. 35 & 36 from which

a Hackberry 8 in. dia. bears N 45 E 10 Mts. dist. 8

a Do 8 " " " N 50 W 11 " " "

West on the S. Boundary of Sec. 35

3. 90 White River runs North, set post on right bank, no Bearing trees.

6. 00 set post on left bank, no Bearing trees

40. 00 set g. sec. post from which

a Boxelder 18 in. dia. bears S 82 W 40 Mts. dist. 8

a Buckeye 6 " " " N 66 E 38 " " "

43. 00 set post on left bank of White River from which

a Willow 8 in. dia. bears S 84 W 23 Mts. dist.

(No other Bearing tree.)

T. 20 N., R. 6 E., S. Mer. Ind.^a
 Chs. Lk.

- 46.20 set post on right bank of White R. from which
 a Buckeye 8 in. dia. bears N40 E 3 1/2 krs. dist. 3
 a Hickory 10 " " " S 3 E 9 " "
- 66.87 set post on right bank of White R. from which
 an Ironwood 8 in. dia. bears N65 W 7 1/2 krs. dist. 3
 a Buckeye 6 " " " N86 E 17 " "
- 76.00 set post on left bank of White River from which
 no Bearing trees
- 80.00 set post cor. of sec. 34 & 35 from which
 an Elm 12 in. dia. bears N65 E 32 1/2 krs. dist. 3
 an Ironwood? 10 " " " S 19 W 3 " "
- Rich land

West on the S. Boundary of Sec. 34

- 21.90 a Walnut 30 in. dia.
- 40.00 set of sec. post from which
 a Beech 20 in. dia. bears N78 E 10 krs. dist. 3
 a Do 18 " " " S60 W 23 " "
- 80.00 set post cor. of sec. 33 & 34 from which
 a Beech 12 in. dia. bears S22 W 28 krs. dist. 3
 a Do 10 " " " N20 W 17 " "
- Over good farming land. Timber Beech,
 Sugar, Ash &c. Upr. Spruce

West on the S. Boundary of Sec. 33

- 26.70 a Hickory 18 in. dia.
- 40.00 set of sec. post from which
 an Oak 12 in. dia. bears S46 E 15 krs. dist. 3
 a Cherry 12 " " " N62 W 22 " "
- 58.75 a W. Oak 12 " "
- 80.00 set post cor. of sec. 32 & 33 from which
 an Elm 6 in. dia. bears S71 E 27 krs. dist. 3
 a Buckeye 10 " " " N47 W 11 " "
- Land &c. same as last described

West on the S. Boundary of Sec. 32

T. 20 N., R. 6 E., S. 1 Mer. Ind.

Ch. 20?

40.00 set of sec. post from which

an Elm 8 in. dia. bears N 69 W 24 lks. dist. &

a Hickory 7 " " S 74 W 10 " "

67.30 a W. Oak 24 " "

80.00 set post cor. of sec. 31 & 32 from which

a Buckeye 10 in. dia. bears N 34 E 19 lks. dist. &

a Do 8 " " S 51 W 5 " "

Land &c. same as last described.

West on the S. Boundary of Sec. 31

22.50 Intersect Prairie, N E & S W

40.00 set of sec. post from which

an Oak 12 in. dia. bears East 17.54 lks. dist.

(No other Bearing tree)

69.18 set post on left bank of White River from which

a Willow 18 in. dia. bears N 78 W 22 lks. dist.

(No other Bearing tree)

73.13 set post on right bank of White River from which

an Oak 8 in. dia. bears S 74 E 8 lks. dist. &

a Walnut 8 " " S 64 W 23 " "

82.75 Intersect W. Boundary 555 lks. N. of temp. posts

set post at intersection cor. of T. 19 & 20 N., R. 5 & 6 E

from which

a Beech 18 in. dia. bears N 24 E 19 lks. dist. &

a Hickory 10 " " S 44 W 36 " "

(Description of land &c. omitted)

East Boundary, Var. 5.45. E.

North on the E. Boundary of Sec. 36

13.92 a Beech 13 in. dia.

40.00 set of sec. post from which

a Beech 8 in. dia. bears S 52 E 20 lks. dist. &

a Do 18 " " N 64 W 19 " "

65.00 a Poplar 40 " "

80.00 set post cor. of sec. 25 & 36 from which

a Ironwood 8 in. dia. bears N 45 W 8 lks. dist. &

T. 20 N., R. 6 E., 2^d Mer. Ind.^a
Chs. 1st

an Ash 7 in. dia. bears S 49 E 7 1/2 m. dist.
 Over level land. Timber Beech, Ash, Oak &
 Wyl. Spice, Hazel &c.

North on the E. Boundary of Sec. 25

13.40 an Elm 12 in. dia.

40.00 set of sec. post from which

a Beech 8 in. dia. bears S 6 W 20 1/2 m. dist. &

a Hickory 12 " " " N 27 W 31 " "

47.90 a Beech 20 " "

80.00 set post cor. of sec. 24 & 25 from which

a Beech 24 in. dia. bears S 24 E 40 1/2 m. dist. &

a Sugar 20 " " " N 2 W 29 " "

Land &c. same as last described

North on the E. Boundary of Sec. 24

28.75 a Beech 18 in. dia.

40.00 set of sec. post from which

an Ash 13 in. dia. bears S 2 W 27 1/2 m. dist. &

a Beech 7 " " " N 61 E 15 " "

80.00 set post cor. of sec. 13 & 24 from which

an Oak 13 in. dia. bears S 2 W 36 1/2 m. dist. &

a Do 10 " " " N 4 W 27 " "

Wet swampy land. Timber Oak, Elm &c.

North on the E. Boundary of Sec. 13

15.50 a Beech 16 in. dia.

23.00 a creek 20 m. wide course SW

40.00 set of sec. post from which

an Ash 13 in. dia. bears S 11 E 29 1/2 m. dist. &

a Dogwood 5 " " " N 24 W 44 " "

71.16 an Elm 24 " "

80.00 set post cor. of sec. 12 & 13 from which

a Hickory 20 in. dia. bears S 29 E 22 1/2 m. dist. &

a Beech 8 " " " N 16 E 39 " "

Over level dry land. Beech, Oak, Hickory &c.

T. 20 N., R. 6 E., 2^d Mer. Ind^a
Q. W. 1st

North on the E. Boundary of Sec. 12,

28.69 a Beech 10 in. dia.

40.00 set of sec. part from which

an Oak 12 in. dia. bears S 45° W 22 lbs. dist. 8

an Ash 4 " " " N 64° W 13 " "

80.00 set part cor. of sec. 10 & 12 from which

a Sugar 14 in. dia. bears S 15° E 31 lbs. dist. 8

a Do 8 " " " N 10° W 29 " "

Land & timber same as last described.

North on the E. Boundary of Sec. 1

27.50 a Brook 10 lbs. wide course NW

40.00 set of sec. part from which

an Elm 20 in. dia. bears S 37° E 54 lbs. dist. 8

an Oak 24 " " " N 66° W 36 " "

54.03 a Hickory 14 in. dia.

66.50 to part cor. of T. 20 & 21 N., R. 6 & 7 E. from which

a Buckeye 12 in. dia. bears N 51° E 24 lbs. dist. 8

a Beech 14 " " " S 61° W 23 " "

*Over good farming land. Timber Beech,
 Sugar, Ash &c. Wp. Spice*

North Boundary.

West on the S. Boundary of Sec. 36, T. 21 N., R. 6 E

40.00 set of sec. part from which

a Buckeye 9 in. dia. bears N 24° E 9 lbs. dist. 8

a Sugar 24 " " " S 18° W 40 " "

80.00 set part cor. of sec. 35 & 36 from which

a Beech 12 in. dia. bears N 37° W 12 lbs. dist. 8

an Ironwood 8 " " " S 71° E 15 " "

West on the S. Boundary of Sec. 35, T. 21 N., R. 6 E

40.00 set of sec. part from which

a Beech 12 in. dia. bears N 70° W 16 lbs. dist. 8

a Do 16 " " " S 46° W 25 " "

80.00 set part cor. of sec. 34 & 35 from which

Chr. Spr. T. 20 N., R. 6 E. 2^d Mer. Ind.^a

a Beech 16 in. dia. bears N 21 - 14 Ws. dist. 8
a Hickory 12 " " S 12 W 21 " "

West on the S. Boundary of Sec. 34, T. 21 N., R. 6 E
40.00 set gr. sec. post from which
a Maple 18 in. dia. bears S 77 E 220 Ws. dist.
(No other Bearing tree)

80.00 set post cor. of sec. 33 & 34 from which
a Beech 20 in. dia. bears N 4 E 39 Ws. dist. 8
a Do 18 " " S 21 W 74 " "

West on the S. Boundary of Sec. 33, T. 21 N., R. 6 E
40.00 set gr. sec. post from which
a Hornbeam 6 in. dia. bears N 17 E 17 Ws. dist. 8
a Beech 14 " " S 60 W 38 " "

80.00 set post cor. of sec. 32 & 33 from which
a Sugar 18 in. dia. bears S 15 W 15 Ws. dist. 8
a Beech 14 " " N 88 E 27 " "

West on the S. Boundary of Sec. 32, T. 21 N., R. 6 E
40.00 set gr. sec. post from which
a Beech 24 in. dia. bears S 68 E 7 Ws. dist. 8
a Do 18 " " N 68 W 9 " "

80.00 set post cor. of sec. 31 & 32 from which
a Hawth 8 in. dia. bears S 22 E 9 Ws. dist. 8
an Ironwood " " S 38 W 12 " "

West on the S. Boundary of Sec. 31, T. 21 N., R. 6 E
40.00 set gr. sec. post from which
an Ash 9 in. dia. bears S 60 W 8 Ws. dist. 8
a Bur Oak 30 " " N 36 E 6 " "

82.00 Intersect W. Boundary 13.00 Chr. S. of temp. post -
set post cor. of T. 20 & 21 N., R. 5 & 6 E from which
a Hickory 12 in. dia. bears N 58 W 27 Ws. dist. 8
a Beech 12 " " N 82 E 33 " "

Chas. E. H. J. D. N., R. C. E. L. Mer. Ind.

West Boundary. Var. 5.15. E.

North on the E. Boundary of Sec. 36, T20N, R5E
18.68 w Hickory 12 in. dia.

40.00 set of sec. part from which

a Beech 14 in. dia. bears East 30 Ws. dist. 2,

a Do 18 " " " S50W29 " "

50.00 a W. Oak 42 " "

80.00 set part cor. of sec. 25 & 36 from which

a Beech 16 in. dia. bears N42E 5 Ws. dist. 4

an Ash 8 " " " S67W18 " "

Land 2^d rate. Timber Oak, Hickory & Beech
Wp. Spice

North on the E. Boundary of Sec. 25, T20N, R5E

7.50 a Branch 8 Ws. wide course SW

10.00 a Beech 12 in. dia.

40.00 set of sec. part from which

a Beech 18 in. dia. bears N40W14 Ws. dist. 2

a Do 12 " " " S23E 17 " "

54.62 a Beech 14 " "

80.00 set part cor. of sec. 24 & 25 from which

an Ash 18 in. dia. bears N23E 5 Ws. dist. 2,

a Beech 18 " " " S65W16 " "

Land 4th same as last described.

North on the E. Boundary of Sec. 24, T20N, R5E

4.50 a creek 75 Ws. wide course SW

13.67 an Ash 20 in. dia.

40.00 set of sec. part from which

a W. Oak 48 in. dia. bears N16E 39 Ws. dist. 2

a Beech 24 " " " S43E 10 " "

68.70 a Sugar 20 " "

80.00 set part cor. of sec. 13 & 24 from which

a Beech 18 in. dia. bears N40W20 Ws. dist. 2

a Do 16 " " " S8E 35 " "

Good land. Timber Sugar & Beech & Wp. Spice

T. 20 N., R. 6 E. 2^d Mer. Ind.^a
 Ch. No.

North on the E. Boundary of Sec. 13, T. 20 N., R. 5 E
 25.12 a Beech 12 in. dia.

40.00 set of sec. part from which
 a Beech 24 in. dia. bears N 8 E 24 lbs. dist. 8
 a Do 18 " " " S 5 E 25 " "

70.13 a Hickory 20 " "

80.00 set part cor. of sec. 12 & 13 from which
 a Hickory 18 in. dia. bears N 40 E 20 lbs. dist. 8
 a Beech 14 " " " S 18 W 26 " "
 Land &c same as last described.

North on the E. Boundary of Sec. 12, T. 20 N., R. 5 E
 28.35 a Hickory 20 in. dia.

40.00 set of sec. part from which
 a Sugar 18 in. dia. bears N 57 W 10 lbs. dist. 8
 a Do 18 " " " S 21 E 13 " "

50.70 a Spruce 30 " "

80.00 set part cor. of sec. 1 & 12 from which
 a Beech 18 in. dia. bears N 87 E 5 lbs. dist. 8
 a Hambeam 8 " " " S 16 W 24 " "
 Land &c same as last described

North on the E. Boundary of Sec. 1, T. 20 N., R. 5 E

40.00 set of sec. part from which
 a P. Oak 42 in. dia. bears S 66 E 24 lbs. dist. 8
 an Ash 18 " " " S 78 W 29 " "

67.00 to Township corner.

(Description of land &c omitted.)

Nov. 1819. John M. Donald
 Deputy Surveyor.

Subdivision. Var. 5.45 E.

North between Sec. 35 & 36

20.35 a Sugar 16 in. dia.

27.50 the channel of a Branch 10 lbs. wide c. SW

40.00 set of sec. part from which

T. 20 N., R. 6 E. 2. Mer. Ind.

Ch. Sk.

a Beech 26 in. dia. bears N 11 E 32 Ms. dist. 4

a W. Oak 18 " " S 20 W 41 " "

42.50 the channel of a Brook 4 Ms. wide course SE

50.55 a W. Elm 22 in. dia.

80.00 set post cor. of sec. 25, 26, 35 & 36 from which

a W. Elm 13 in. dia. bears S 59 W 4 Ms. dist. 2

a Beech 12 " " N 86 E 42 " "

Part level, part rolling 2. rate land. Timber

W. Oak, Hickory, Ash, Elm, Sugar, Maple, Beech

& W. Spruce, Hickory, Juniper, Ash &c

East in Random between Sec. 25 & 36

40.00 set temp. of sec. post

80.68 Intersect E. Boundary 184 Ms. N. of post

Level wet 2. rate land. Timber Elm, Hickory,

Sugar, W. Oak, Beech, Juniper, Larch, Maple

& W. Spruce, Hickory &c

West Connected between Sec. 25 & 36

21.68 a Gray Ash 25 in. dia. on true line

40.34 set of sec. post at area. dist. from which

a Juniper 8 in. dia. bears S 37 W 9 Ms. dist. 2

a Beech 20 " " N 12 W 18 " "

60.28 a Hickory 22 " " on true line

80.68 to sec. cor.

North between Sec. 25 & 26

20.53 a Beech 16 in. dia.

40.00 set of sec. post from which

a B. Ash 22 in. dia. bears S 33 W 28 Ms. dist. 2

a Bur Oak 14 " " N 20 E 17 " "

50.96 a W. Elm 20 " "

80.00 set post cor. of sec. 23, 24, 25 & 26 from which

a Buckeye 10 in. dia. bears S 76 E 30 Ms. dist. 2

a Beech 16 " " N 40 W 43 " "

Level 2. rate land. Timber Beech, Ash, W. Oak,

T. 20 N., R. 6 E., T. 2 Mer. Ind.^a
 Chas. P. H.

Sugar, Hickory, Elm, Lym, Walnut &
 Upr. Spice, Ash &

East on Random between Sec. 24 & 25

0.00 the channel of a stream 10 Mts. wide c. NW

4.00 cut a N. bend of the same

40.00 set temp. of sec. post

80.00 Intersect Co. Boundary 150 Mts. S. of post -

Level 2. rate land. Timber Beech, Ash, Wt
 Box Oak, Elm, Lym, Sugar, Hickory & Upr.
 Spice, Ash &

West Corrected between Sec. 24 & 25

20.50 a Beech 20 in. dia. on true line

40.00 set of sec. post at aver. dist from which

a Beech 14 in. dia. bears S 61° W 15 Mts. dist S

a Do 18 " " " N 53° E 26 " "

60.12 a Blue Ash 17 in. dia. on true line

80.00 to sec. cor.

North between Sec. 23 & 24

1.50 channel of a stream 10 Mts. wide course NW

13.82 a W. Elm 20 in. dia.

40.00 set of sec. post from which

a Beech 20 in. dia. bears S 67° E 9 Mts. dist S

a Do 12 " " " N 85° W 9 " "

62.00 a Beech 10 " "

79.50 a stream 25 Mts. wide course W

80.00 set post cor. of sec. 13, 14, 23 & 24 from which

a Beech 12 in. dia. bears S 81° E 25 Mts. dist S

a Sugar 14 " " " N 61° W 20 " "

First half mile level, last half mile rolling
 good 2. rate land. Timber Beech, Sugar, Elm
 Ash, Poplar, Buckeye & Spice, Ash &

East on Random between Sec. 13 & 24

T. 20 N., R. 6 E., 2^d Mer. Ind. a.

Chas. L. M.

17.00 a Brook 15 lks. wide course NE
 40.00 set temp. of sec. post
 70.00 a Brook 10 lks. wide course NW
 80.00 Intersect E. Boundary 58 lks. S. of post -
 Land rolling 2^d rate. Timber Beech, Sugar,
 Hickory, Ash, Elm, B. Walnut & Upr. Spice,
 Ash, Ironwood &c.

West Correlated between Sec. 13 & 24

14.18 a Beech 14 in. dia.
 40.00 set of sec. post at aver. dist. from which
 a Gray Ash 12 in. dia. bears N 2 W 8 lks. dist. S
 a Beech 14 " " " S 23 E 4 " "
 44.43 a Beech 12 " "
 80.00 to sec. cor.

North between Sec. 13 & 14

13.67 a W. Elm 20 in. dia.
 40.00 set of sec. post from which
 a Hickory 20 in. dia. bears N 18 W 21 lks. dist. S
 a Beech 12 " " " S 3 E 17 " "
 55.00 a Brook course W
 57.93 a Beech 12 in. dia.
 80.00 set post cor. of sec. 11, 12, 13 & 14 from which
 a Blue Ash 20 in. dia. bears N 47 E 17 lks. dist. S
 a Beech 24 " " " S 46 W 45 " "
 Land rolling good 2^d rate. Timber Beech,
 Sugar, W. Oak, Ash, Elm, B. Walnut, Blue
 Ash & Upr. Spice, Ash, Ironwood &c.

East in Random between Sec. 12 & 13

40.00 set temp. of sec. post
 40.50 channel of a Brook 12 lks. wide course NW
 67.50 Do Do " N
 80.68 Intersect E. Boundary precisely at post -
 Land level 2^d rate. Timber Beech, Sugar,

T. 20 N., R. 6 E. 2^d. Mer. Ind.^a
 Chs. Elk?

Ash, Elm, Oak, Hickory, B Walnut &c.
 Upr. Spice, Ash, Hickory &c

West Connected between Sec. 12 & 13

8.50 a Beech 14 in. dia.

40.34 set of sec. post at aver. dist. from which
 a W. Elm 14 in. dia. bears N 82° W 17 Ms. dist. 8
 a Spr. Ash 20 " " " N 21° E 27 " "

70.27 a Beech 14 " "

80.08 to sec. cor.

North between Sec. 11 & 12

7.50 channel of a Brook 12 Ms. wide course NW

15.00 Do Do 12 " " " NE

16.70 a gray Ash 14 in. dia.

40.00 set of sec. post from which
 a Sugar 20 in. dia. bears S 72° E 8 Ms. dist. 8
 a Beech 10 " " " N 60° W 21 " "

61.80 a Beech 14 " "

80.00 set post cor. of sec. 1, 2, 11 & 12 from which
 a Beech 10 in. dia. bears N 77° E 7 Ms. dist. 8
 a Do 14 " " " S 63° W 24 " "

Land level good 2nd rate. Timber Beech,
 Sugar, Ash, Elm, &c. Upr. Spice, Ash, Hick-
 ory, Ironwood &c

East in Random between Sec. 1 & 12

36.00 a Brook 12 Ms. wide course NW

40.00 set temp. of sec. post

80.50 Intersect E. Boundary 25 Ms. S. of post -

Land rolling 1st rate. Timber Beech, Sugar, Oak,
 Hickory, B Walnut, Buckeye &c. Upr. Spice,
 Ash, Hickory &c

West Connected between Sec. 1 & 12

11.83 a B Walnut 40 in. dia.

T. 20 N., R. 6 E. 2. Mer. Ind. a.
 C.W. Spr.

40.25 set g. sec. post at aver. dint. from which
 a Sugar 20 in. dia. bears N 60° W 32 Vrs. dint. &
 a Hornbeam 5 " " S 74° W 8 " "
 73.50 a Sugar 16 " "
 80.50 to sec. cor.

North between Sec. 1 & 2

13.00 a W. Elm 20 in. dia.

13.50 Pipe Creek 50 Vrs. wide course S W

15.00 enter wet Prairie

21.00 leave the same

40.00 set g. sec. post from which

a Beech 20 in. dia. bears S 69° E 19 Vrs. dint. &

a Buckeye 14 " " S 40° W 32 " "

53.71 a Beech 14 " "

65.00 Intersect N. Barn. dary 20 Vrs. E. of post -

set post at intersection cor. of Sec. 1 & 2 from which

a Hickory 12 in. dia. bears S 28° E 22 Vrs. dint. &

a Hornbeam 10 " " S 41° W 4 " "

Land rolling good 2nd rate. Timber Beech, Sugar,
 Ash, Elm, Poplar, Walnut & - Upr. Spruce, Ash &
 November 11. 1821

North between Sec. 34 & 35 Beginning in Prairie

7.50 set post on left bank of White River, in Prairie
 where raised a mound - leave Prairie

13.14 set post on right bank of White River from which

a Hackberry 20 in. dia. bears N 84° W 25 Vrs. dint. &

a Do 16 " " N 82° E 37 " "

21.14 a Buckeye 14 " "

40.00 set g. sec. post from which

a Buckeye 14 in. dia. bears S 64° E 30 Vrs. dint. &

a Do - " " N 48° W 28 " "

40.50 channel of a Brook course S E

63.09 a Beech 15 in. dia.

78.10 channel of a Brook 8 Vrs. wide course S E

T. 20 N., R. 6 E. 2. Mer. Ind^y
 Chp. Chp.

80.00 set post cor. of sec. 26, 27, 34 & 35 from which
 a Sugar 15 in. dia. bears S 52 E 14 W. dist. 2
 a Beech 12 " " " N 59 W 38 " "
 Part level, part rolling 1st & 2nd rate land.
 Timber Beech, Sugar, Ash, Elm, Hackberry, White
 Hickory &c. Ulp. Spice, Hornbeam, Ash, Dogwood &c.

East on Randon between Sec. 26 & 35

18.00 channel of a Brook 8 Ws. wide course S 9 W
 40.00 set temp. of sec. post
 81.22 Intersect. N. E. line 46 Ws. S. of post -
 Land level sweet 2nd rate. Timber Beech, Sugar,
 Ash, Elm, Oak, Hickory. Ulp. Spice, Ash, Hornbeam &c.

West Corrected between Sec. 26 & 35

21.34 a W. Elm 24 in. dia.
 40.01 set of sec. post at aver. dist. from which
 a Beech 22 in. dia. bears N 73 W 15 Ws. dist. 2
 a Do 15 " " " S 13 W 4 " "
 61.76 a Hickory 20 " "
 81.22 to sec. cor.

North between Sec. 26 & 27

20.00 a Beech 15 in. dia.
 40.00 set of sec. post from which
 a Beech 18 in. dia. bears N 76 W 19 Ws. dist. 2
 a Do 20 " " " S 32 E 24 " "
 44.50 channel of a stream 10 Ws. wide course W.
 62.24 a Hickory 20 in. dia.
 80.00 set post cor. of sec. 22, 23, 26 & 27 from which
 a Beech 18 in. dia. bears N 4 W 28 Ws. dist. 2
 a Do 15 " " " S 61 E 11 " "
 Land level 2nd rate. Timber Beech, Sugar, Ash,
 Poplar &c. Ulp. Spice, Ash &c.

East on Randon between Sec. 23 & 26

T. 20 N., R. 6 E. 2. Mer. Ind.^a
 Chs. 1st

34.90 channel of a Brook 15 ¹/₂ m. wide course NW
 38.00 cut N. bend of same
 40.00 set temp. of sec. part
 80.34 the same stream course WSW
 81.95 Intersect N & S. line 58 ¹/₂ m. S. of port -
 Land level 2nd rate. Timber Beech, Sugar, Ash,
 Elm, W. Oak, Hickory & Upr. Spice, Ash &c.

West Connected between Sec. 23 & 26

23.19 a Beech 32 in. dia.
 40.92 set of sec. part at aver. dist. from which
 a Sugar 17 in. dia. bears S 44 W 22 ¹/₂ m. dist. 8
 a Do 20 " " " N 36 E 13 " "
 61.78 a W. Oak 56 " "
 81.95 to sec. cor.

North between Sec. 22 & 23

17.40 a Beech 14 in. dia.
 40.00 set of sec. part from which
 a Hackberry 14 in. dia. bears N 77 E 20 ¹/₂ m. dist. 3
 a. Beech 14 " " " N 86 W 26 " "
 42.20 Pipe Creek 75 ¹/₂ m. wide course SW
 72.75 a Sugar 30 in. dia.
 80.00 set part cor. of sec. 14, 15, 22 & 23 from which
 a Beech 20 in. dia. bears N 79 E 31 ¹/₂ m. dist. 8
 a Buckeye 14 " " " N 57 W 11 " "
 Land first half mile rolling 2nd rate, last half
 mile level bottom 1st rate. Timber Beech,
 Sugar, Ash, Elm, Hackberry, Walnut &c.
 Upr. Spice, Ash, Pawpaw, Pickly Ash &c.

East on Randon between Sec. 14 & 23

12.50 Pipe Creek 75 ¹/₂ m. wide course SW
 40.00 set temp. of sec. part
 59.00 a Stream 20 ¹/₂ m. wide course NW
 61.50 a Do 20 " " " SW

T. N. R. O. E. I. Mer. Ind. a
Chs. Vks.

69.00 a Stream 20 Vks. wide course NW

81.54 Intersect N & S line 96 Vks. S. of port —
 Land rolling good 2nd rate. Timber Beech, Sugar,
 Ash, Elm & V. Upr. Spice, Pickly Ash &c.

West Connected between Sec. 14 & 23

10.31 a Sugar 14 in. dia.

40.77 set of sec. port at aver. dint. from which
 a W. Oak 30 in. dia. bears North 19 Vks. dint. &
 a Beech 18 " " S 29 E 21 " "

73.14 a Buckeye 10 " "

81.54 to sec. cor.

North between Sec. 14 & 15

24.60 a Sugar 18 in. dia.

40.00 set of sec. port from which
 a Hackberry 30 in. dia. bears N 22 E 15 Vks. dint. &
 a Buckeye 6 " " S 49 W 3 " "

63.07 a Sugar 20 " "

80.00 set port cor. of sec. 10, 11, 14 & 15 from which
 a Sugar 12 in. dia. bears N 68 E 16 Vks. dint. &
 a W. Elm 20 " " S 43 W 25 " "
 First 3/4 mile level bottom, 1st rate, last 1/4
 mile rolling 1st rate. Timber Sugar, Buckeye,
 Hackberry, Walnut & V. Upr. Spice, Pickly
 Ash, Pawpaw &c.

East on Randam between Sec. 11 & 14

4.50 a Spring, course S E

22.00 Pipe Creek 75 Vks. wide course S.

40.00 set temp. of sec. port

76.50 channel of a Brook 12 Vks. wide course SW

81.10 Intersect N & S line 67 Vks. S. of port —

Land level 2nd rate. Timber Beech, Sugar, Ash,
 Elm, Oak, Hickory & V. Upr. Spice, Ash, Hick-
 ory &c.

T. 20 N., R. 6 E. 2^d Mer. Ind.^a

Ch. 1. 18¹

West Connected between Sec. 11 & 14

14.88 a Beech 12 in. dia.

40.55 set of sec. part at aver. dist. from which
a W. Elm 12 in. dia. bears S 84 E 22 Ws. dist. 2

a Beech 10 " " " N 48 W 23 " "

60.57 a W. Elm 12 " "

81.10 to sec. cor.

North between Sec. 10 & 11

11.88 a Beech 12 in. dia.

40.00 set of sec. part from which

a Beech 14 in. dia. bears S 5 E 15 Ws. dist. 2

a Do 14 " " " N 7 E 28 " "

74.42 a W. Oak 18 " "

80.00 set part cor. of sec. 2, 3, 10 & 11 from which

a B Walnut 14 in. dia. bears S 25 W 15 Ws. dist. 2

a Beech 14 " " " N 42 E 56 " "

Land rolling 1st rate. Timber Beech, Sugar, Ash,
Elm, Poplar, Oak, Hickory & V. Ulp. Spice, Ash,
Elm, Junwood, Hickory & V.

East on Random between Sec. 2 & 11

7.50 a Spring, course S E

25.50 Pipe Creek 75 Ws. wide course S.

40.00 set temp. of sec. part

80.96 Intersect N. S. line 80 Ws. S. of part -

West of Creek hilly & uneven, East of Creek
level 1st rate. Timber Beech, Sugar, Hackberry,
B Walnut, Ash & V. Ulp. Spice, Pawpaw,
Hickory & V.

West Connected between Sec. 2 & 11

17.77 a Sugar 20 in. dia.

40.48 set of sec. part at aver. dist. from which

a Junwood 10 in. dia. bears N 83 E 16 Ws. dist. 2

a Do 8 " " " S 23 W 27 " "

T. 20 N., R. 6 E. 2 Mer. Ind.?
Chs. Spr.

64.56 a W. Elm 10 in. dia.

80.96 to sec. cor. November 14, 1821

North between Sec. 2 & 3

11.45 a W. Oak 14 in. dia.

40.00 set g. sec. post from which

a Beech 14 in. dia. bears S 64 E 24 W. dist. 4

a Do 10 " " " N 7 E 6 " "

56.92 a Do 12 " "

64.80 Intersect N. Boundary 65 W. of post -

set post at intersection cor. of sec. 2 & 3 from which

a W. Elm 10 in. dia. bears S 42 E 16 W. dist. 4

a Hickory 14 " " " S 78 W 21 " "

Land level 2 rate. Timber Beech, Sugar, Ash,
 Elm &c. Ulp. Spice, Ash, Ironwood, Plum, Pick-
 ey Ash &c. November 16, 1821

North between Sec. 33 & 34

11.56 algray Ash 18 in. dia.

40.00 set g. sec. post from which

a B. Oak 20 in. dia. bears N 50 E 19 W. dist. 2

a Do 14 " " " S 43 W 32 " "

57.24 set post on left bank of White River from which

a Boxelder 10 in. dia. bears N 80 E 7 W. dist. 2

a Willow 10 " " " S 50 W 35 " "

59.98 set post on right bank of White R. from which

a Buckeye 10 in. dia. bears West 8 W. dist. 2

a Do 10 " " " N 70 E 18 " "

74.94 an Ironwood 12 in. dia.

80.00 set post cor. of sec. 27, 28, 33 & 34 from which

a Beech 18 in. dia. bears S 33 E 21 W. dist. 2

al. Ash 20 " " " N 55 W 45 " "

Land rolling T. rate. Timber Beech, Sugar, Ash,
 Hackberry, Walnut &c. Ulp. Spice, Pawpaw &c.

East on Random between Sec. 27 & 34

T. 20 N., R. 6 E., S. 2. Mer. Ind.?
Ch. Sp.

40.00 set temp. of sec. part

80.80 Intersect N. & S. line 170 Yds. S. of port -

Land level 2. rate. Timber Beech, Sugar, Ash,
 Elm, Oak, Hickory & Upr. Spice, Ash &c.

West Connected between Sec. 27 & 34

15.28 a Beech 14 in. dia.

40.40 set of sec. part at aver. dist. from which

a Beech 18 in. dia. bears N 54 E 18 Yds. dist. &

a Do 12 " " " S 67 W 23 " "

74.55 a W. Oak 40 in. dia.

80.80 to sec. cor.

North between Sec. 27 & 28

18.44 a Gray Ash 20 in. dia.

40.00 set of sec. part from which

a Sugar 14 in. dia. bears N 82 E 30 Yds. dist. &

a Beech 14 " " " N 50 W 26 " "

61.44 a W. Elm 20 " "

68.50 Pipe Creek 75 Yds. wide course SW

80.00 set part cor. of sec. 21, 22, 27 & 28 from which

a Beech 14 in. dia. bears S 21 W 37 Yds. dist. &

a Do 14 " " " N 3 W 17 " "

Land rolling good 2. rate. Timber Beech, Sugar,
 Ash, Elm, Oak, Hickory, Walnut & Upr. Spice,
 Pawpaw, Hickory &c.

East on Random between Sec. 22 & 27

32.00 Pipe Creek 100 Yds. wide course S.

40.00 set temp. of sec. part

81.28 Intersect N. & S. line 184 Yds. S. of port -

Land rolling good 2. rate. Timber Beech, Sugar,
 Ash, Hickory, Buckeye & Upr. Spice, Ash,
 Hickory &c.

West Connected between Sec. 22 & 27

T. W. N., R. C. E. L. Mer. Ind.^a

Chr. No.

- 12.82 a Beech 14 in. dia.
 40.04 set q. sec. post at aver. dint. from which
 a Beech 12 in. dia. bears N 10 W 10 Ws. dint. 8
 a Do 10 " " " S 7 E 6 " "
 70.84 a Beech 14 " "
 81.28 to sec. cor.

North between Sec. 21 & 22

- 12.14 a Hickory 18 in. dia.
 40.00 set q. sec. post from which
 algray Ash 10 in. dia. bears S 21 E 10 Ws. dint. 8
 a Do 8 " " " N 34 E 4 " "
 71.54 a Beech 12 " "
 80.00 set post cor. of sec. 15, 16, 21 & 22 from which
 a Beech 10 in. dia. bears N 65 E 4 Ws. dint. 4
 algray Ash 14 " " " S 41 W 13 " "
 Land level 2^d rate. Timber Beech, Sugar, Ash, Elm,
 Hickory &c. Ulp. Spice, Ash, Beech, Junwood &c.

East on Random between Sec. 15 & 22

- 40.00 set temp. q. sec. post
 43.00 channel of a Brook 12 Ws. wide curve N.
 81.20 Intersect N & S. line 193 Ws. S. of post—
 Land rolling, first half mile 2^d rate, last half
 mile 1st rate. Timber Beech, Sugar, Ash, Elm,
 Hickory &c. Ulp. Spice, Ash, Pawpaw, Prickly Ash
 Hickory &c. November 13. 1821

West Connected between Sec. 15 & 22

- 15.20 algray Ash 20 in. dia.
 40.60 set q. sec. post at aver. dint. from which
 a W. Elm 30 in. dia. bears N 42 E 6 Ws. dint. 8
 a Buckeye 12 " " " S 40 W 37 " "
 71.25 a Hickory 20 " "
 81.20 to sec. cor.

T. 20. N., R. 6. E., T. 1. Mer. Ind. a.

Ch. 2. 1/2

North between Sec. 15 & 16

16.00 a Hickory 18 in. dia.

40.00 set of sec. post from which

a Beech 14 in. dia. bears N 40 E 23 W. dist. 8

alg. Ash 14 " " S 34 W 15 " "

63.87 a W. Elm 20 " "

80.00 set post cor. of sec. 9, 10, 15 & 16 from which

a Beech 14 in. dia. bears N 29 E 27 W. dist. 8

a Do 12 " " S 36 W 19 " "

Land level 2^d rate. Timber Beech, Sugar, Ash,
Elm, Oak, Hickory & Ulp. Spice, Ash, Hickory &c.

East on Random between Sec. 10 & 15

40.00 set temp. of sec. post

80.47 Intersect N. & S. line 206 W. S. of post

Land level 2^d rate. Timber Beech, Sugar, Ash,
Elm, Oak, Hickory & Ulp. Spice, Hickory &c.

West Corrected between Sec. 10 & 15

11.18 a Beech 10 in. dia.

40.24 set of sec. post at aver. dist. from which

a Beech 8 in. dia. bears N 68 W 35 W. dist. 8

a Do 8 " " S 31 E 24 " "

69.74 a Beech 14 " "

80.47 to sec. cor.

North between Sec. 9 & 10

22.40 a Sugar 18 in. dia.

40.00 set of sec. post from which

a Beech 14 in. dia. bears S 27 E 10 W. dist. 8

a W. Elm 8 " " N 27 W 14 " "

64.85 a W. Elm 20 " "

80.00 set post cor. of sec. 3, 4, 9 & 10 from which

a B. Oak 20 in. dia. bears S 78 W 7 W. dist. 8

a Sugar 10 " " N 78 E 14 " "

Land level wet 2^d rate. Timber Beech, Sugar

T. 20 N., R. 6 E. 2^d Mer. Ind.^a
 Chr. Sk.
 Ash, Elm, Oak, Hickory & Ulp. Spice, P. Ash &c.

East on Random between Sec. 3 & 10

16.00 enter Swamp

23.50 leave "

40.00 set temp. of sec. post

80.24 Intersect N. & S. line 198 Yds. S. of post—

First half mile level wet, last half mile rolling & rate. Timber Beech, Sugar, Ash, Elm, Oak, Hickory & Ulp. Spice, P. Ash &c.

West Corrected between Sec. 3 & 10

15.50 a Sugar 20 in. dia.

40.12 set of sec. post at aver. dist. from which

a Beech 20 in. dia. bears S 61 E 5 Yds. dist. &

a Do 14 " " " N 84 W 16 " "

64.74 a Hickory 10 " "

80.24 to sec. cor. November 14. 1821

North between Sec. 3 & 4

16.17 an Aspen 18 in. dia.

40.00 set of sec. post from which

a Beech 10 in. dia. bears N 21 E 8 Yds. dist. &

a Hickory 20 " " " N 44 W 29 " "

65.90 Intersect N. Boundary 144 Yds. W. of post—

set post at intersection cor. of sec. 3 & 4 from which

a B. Oak 36 in. dia. bears North 38 Yds. dist. &

a Beech 14 " " " S 6 E 23 " "

Land level wet & swampy. Timber Beech, Sugar, Ash, Elm, Oak, Hickory, Willow & Ulp. Spice, Oak, Hickory, Pickly Ash &c. Nov. 16. 1821

North between Sec. 32 & 33

17.87 an Aspen 18 in. dia.

40.00 enter Prairie & set of sec. post from which

a B. Oak 12 in. dia. bears S 45 W 29 Yds. dist. &

T. N. R. O. I. Mer. Ind. ^u

Ch. Sk.

a B. Oak 14 in. dia. bears S 28 E 57 1/2 M. dist.

48.50 set post on left bank of White River from which
a Cottonwood 12 in. dia. bears N 54 W 22 M. dist. 8
a Sycamore 10 " " " N 66 E 47 " " "
and leave Prairie

50. 04 set post on right bank of White River from which
a Buckeye 10 in. dia. bears S 59 E 17 1/2 M. dist. 8
a Do 10 " " " N 30 W 4 " " "

74.37 a Sugar 14 " " "

80.00 set post cor. of sec. 28, 29, 32 & 33 from which
a Buckeye 8 in. dia. bears S 87 E 9 M. dist. 4
a Do 12 " " " N 78 W 13 " " "

Land rolling, first half mile 2^d rate, last half
mile 1st rate. Timber Beech, Sugar, Oak, Hickory,
Ash, Elm, Hackberry & Upr. Spice, Pickly Ash &c.

East on Random between Sec. 28 & 33

40.00 set temp. of sec. post

80.32 Interscot N & S line 14 1/2 M. S. of post -

Land rolling 1st rate. Timber Beech, Sugar,
Ash, Elm, Poplar, Oak, Hickory, Walnut, Buckeye
& Upr. Spice, Pickly Ash, Pawpaw &c.

West Connected between Sec. 28 & 33

14.58 a W. Oak 40 in. dia.

40.16 set of sec. post at aver. dist. from which
a Sugar 12 in. dia. bears N 29 E 21 M. dist. 8
an Elm 6 " " " S 43 W 23 " " "

70.52 a W. Elm 30 " " "

80.32 to sec. cor.

North between Sec. 28 & 29

17.85 a Beech 14 in. dia.

37.00 Pipe Creek 100 M. wide course SW

40.00 set of sec. post from which
a Beech 14 in. dia. bears S 34 W 8 M. dist. 4

T. 20 N., R. 6 E. 2. Mer. Ind. a
Ch. Sp.

a Beech 16 in. dia. bears N 17 E 38 W. dist.
 67.20 a Beech 12 " "
 80.00 set post cor. of sec. 20, 21, 28 & 29 from which
 a Beech 14 in. dia. bears S 77 E 27 W. dist. 8
 a Sugar 20 " " " N 82 W 30 " "
 Land rolling good 2. rate. Timber Beech,
 Sugar, Ash, Elm, Poplar, Walnut & Ugly. Spice,
 Pickly Ash, Pawpaw &

East on Random between Sec. 21 & 28

20.00 channel of Brook 12 W. wide corner S.
 40.00 set temp. of sec. post
 80.00 Intersect N. S. line 124 W. S. of post -
 First half mile rolling, last half mile level,
 good 2. rate land. Timber Beech, Sugar, Ash,
 Walnut & Ugly. Spice, Ash, Hickory &

West Corrected between Sec. 21 & 28

10.10 a Beech 12 in. dia.
 40.00 set of sec. post at aver. dist. from which
 a Buckeye 8 in. dia. bears S 20 E 22 W. dist. 8
 a Sugar 12 " " " N 26 E 28 " "
 64.23 a Sugar 12 " "
 80.00 to sec. cor.

North between Sec. 20 & 21

18.40 a Sugar 16 in. dia.
 40.00 set of sec. post from which
 a Beech 14 in. dia. bears N 69 E 50 W. dist. 8
 a Sugar 24 " " " S 54 W 16 " "
 68.50 a Beech 14 " "
 80.00 set post cor. of sec. 16, 17, 20 & 21 from which
 a sup. Ash 14 in. dia. bears S 45 W 18 W. dist. 8
 a W. Elm 30 " " " N 33 E 17 " "
 First half mile rolling 2. rate, last half mile
 level & wet. Timber Beech, Sugar, Ash, Elm,

Ch. Sp. T. 20 N., R. 6 E. 2^d Mer. Ind^a.
Oak, Hickory & Ulp. Spice, Ash, Hickory &c

East on Random between Sec. 16 & 21

40.00 set temp. of sec. post

80.00 Intersect N & S line 128 Mer. S. of post—

Land level & wet. Timber Beech, Sugar, Ash, Elm, Oak, Hickory & Ulp. Spice, Ash, Elm, Hickory, Junwood &c.

West Connected between Sec. 16 & 21

11.42 a Beech 14 in. dia.

40.00 set of sec. post at aver. dist. from which

a Beech 12 in. dia. bears S 79° W 19 Mer. dist. &

a Hickory 14 " " " S 76° E 28 " "

62.81 a Beech 18 " "

80.00 to sec. cor.

North between Sec. 16 & 17

11.15 a Beech 12 in. dia.

40.00 set of sec. post from which

a Beech 12 in. dia. bears N 22° E 30 Mer. dist. &

a W. Elm 12 " " " S 15° W 9 " "

53.50 a Brook 12 Mer. wide course N E

66.13 a W. Elm 40 in. dia.

80.00 set post cor. of sec. 8, 9, 16 & 17 from which

a Beech 14 in. dia. bears S 45° E 22 Mer. dist. &

a Do 14 " " " N 45° W 10 " "

Land level & rate. Timber Beech, Sugar, Ash, Elm, Oak, Hickory & Ulp. Spice, Ash, Hickory &c.

East on Random between Sec. 9 & 16

8.50 channel of a Brook course N.

40.00 set temp. of sec. post

80.36 Intersect N & S line 120 Mer. S. of post—

Land rolling & rate. Timber Beech, Sugar, Ash, Elm, Oak, Hickory & Ulp. Spice, Ash &c.

T. 20 N., R. 6 E. 2. Mer. Ind. a

Ch. 1st.

West Connected between Sec. 9 & 10

15.75 a W. Oak 50 in. dia.

40.18 set of sec. post at aver. dint. from which
a Beech 10 in. dia. bears N 67 E 15 W. dint. 2

a Do 12 " " " S 33 E 7 " "

66.08 a W. Oak 14 " "

80.36 to sec. cor. November 15, 1821

North between Sec. 8 & 9

12.38 a Hickory 16 in. dia.

40.00 set of sec. post from which

a Bur Oak 12 in. dia. bears S 60 E 14 W. dint. 2

a Gray Ash 10 " " " N 68 W 9 " "

69.76 a Sugar 12 " "

80.00 set post cor. of sec. 4, 5, 8 & 9 from which

a Lym 12 in. dia. bears South 21 W. dint. 2

a Hickory 12 " " " North 23 " " "

a Do 18 " " " S 48 E 5 " "

Land level 2 rate. Timber Beech, Sugar, Ash,
Elm, Oak &c. Upr. Spice, Ash, Hickory &c.

East in Random between Sec. 4 & 9

40.00 set temp. of sec. post

80.48 Intersect N 4 S. line 140 W. S. of post —

Land level 2 rate. Timber Beech, Sugar, Ash,

Elm, Oak, Hickory &c. Upr. Spice, Hickory Ash &c.

West Connected between Sec. 4 & 9

10.30 a Bur Oak 30 in. dia.

40.24 set of sec. post at aver. dint. from which

a Gray Ash 8 in. dia. bears N 48 E 21 W. dint. 2

a Swamp Ash 10 " " " S 50 W 35 " "

67.98 a Maple 14 " "

80.48 to sec. cor.

North between Sec. 4 & 5

T. N. R. O. L. Mer. Ind.
Ch. L.

15.27 a W. Elm 20 in. dia.

40.00 set of sec. post from which

a Beech 10 in. dia. bears N 46 E 14 W. dist. 3

a Poplar 50 " " " S 45 W 29 " "

63.57 a B. Oak 20 " "

66.60 Intersect N. Boundary 198 W. W. of post —

set post at intersection cor. of sec. 4d 5 from which

a Beech 14 in. dia. bears N 75 E 23 W. dist. 3

a W. Elm 18 " " " West 10 " "

First half mile level, last half mile rolling
 good 2. rate. Timbered Beech, Sugar, Ash, Elm,
 Poplar, B. Walnut & V. Upr. Spice, Ash, Ironwood &c.

November 16. 1821 * on E. bank of Duck Creek 50 Ws.
 wide corner S.

North between Sec. 31 & 32

8.50 a W. Oak 12 in. dia.

10.50 a Pond deep & miry

13.00 leave Pond & enter Prairie

40.00 set of sec. post in Prairie where raised a mound

41.10 set post on left bank of White River ~~from which~~
 where raised a mound & leave Prairie

44.18 set post on right bank of White R. from which

a B. Oak 14 in. dia. bears N 63 E 46 W. dist. 3

a Bur Oak 12 " " " S 49 W 45 " "

63.86 a B. Oak 14 " "

80.00 set post cor. of sec. 29, 30, 31 & 32 from which

a Beech 18 in. dia. bears S 27 W 29 W. dist. 3

a Do 18 " " " N 71 E 46 " "

Land rolling T. rate, Prairie rich, Timber
 Oak, Hickory, Ash, Elm, Beech, Sugar & V. Upr.
 Spice, Ash, Hickory &c.

East in Prairie between Sec. 29 & 32

37.00 Pipe Creek 100 Ws. wide corner SW

40.00 set temp. of sec. post

80.30 Intersect N. G. line 112 Ws. E. of post —

Ch. Sk. T. 20 N., R. 6 E., S. Mer. Ind.^a

West of creek rolling 2^d rate, East of creek level 1st rate. Timber Beech, Sugar, Ash, Elm, Walnut & Ulp. Spice, Picky Ash &c.

West Connected between Sec. 29 & 32

12.72 a Beech 14 in. dia.

40.15 set of sec. post at area. dirt. from which
a Buckeye 12 in. dia. bears N 79° W 17 Mk. dirt. &
a Bur Oak 16 " " " S 78° E 20 " "

65.90 a Sugar 14 " "

80.30 to sec. cor.

West between Sec. 30 & 31

19.50 a Hickory 12 in. dia.

40.00 set of sec. post from which
a Beech 12 in. dia. bears S 88° W 26 Mk. dirt. &
a Do 16 " " " S 86° E 40 " "

67.00 a Sugar 12 " "

82.78 Intersect W. Boundary 183 Mk. N. of post —
set post at intersection cor. of sec. 30 & 31 from which
a Gray Ash 18 in. dia. bears N 57° E 1 Mk. dirt. &
a Beech 12 " " " S 42° W 26 " "
Sand level 2^d rate. Timber Beech, Sugar, Ash, Elm, Poplar, Walnut & Ulp. Spice, Ash &c.

North between Sec. 29 & 30

16.46 a Sugar 12 in. dia.

40.00 set of sec. post from which
a Beech 12 in. dia. bears N 32° E 22 Mk. dirt. &
a Do 10 " " " S 13° W 59 " "

62.92 a Beech 14 " "

80.00 set post cor. of sec. 19, 20, 29 & 30 from which
a W. Elm 16 in. dia. bears S 69° E 1 Mk. dirt. &
a B Oak 40 " " " S 78° W 5 " "

Sand level 2^d rate. Timber Beech, Sugar, Oak, Hickory & Ulp. Spice, Ash, Hickory &c.

T. 20 N., R. 6 E. 2. Mer. Ind. a

Ch. 1st?

East on Random between Sec. 20 & 29

40.00 set temp. of sec. post

80.24 Intersect N. & S. line 116 Ws. S. of post -

Land level wet 2nd rate. Timber Beech, Sugar,
Ash, Elm, Oak, Hickory & Ulp. Spice, Ash &c.

West Connected between Sec. 20 & 29

8.74 a Hickory 20 in. dia.

40.12 set of sec. post at aver. dint. from which

a Hickory 14 in. dia. bears S 38° W 24 Ws. dint. S

a Beech 14 " " " N 34° E 32 " "

63.48 a Maple 14 " "

80.24 to sec. cor.

West between Sec. 19 & 30

15.32 an Ash 12 in. dia.

40.00 set of sec. post from which

a W. Oak 40 in. dia. bears S 23° W 30 Ws. dint. S

a Beech 18 " " " N 9° E 34 " "

67.67 a Sugar 16 " "

82.48 Intersect W. Boundary 171 Ws. N. of post -

set post at intersection cor. of sec. 19 & 30 from which

a Buckeye 12 in. dia. bears S 36° E 9 Ws. dint. S

a Spruce Ash 8 " " " N 69° W 19 " "

The post stands in the E. bank of Duck Creek curve

South. Land level 2nd rate. Timber

Beech, Sugar, Ash, Elm, Hickory & Ulp.

Spice, Ash &c. November 17, 1821

North between Sec. 19 & 20

19.33 a W. Oak 12 in. dia.

40.00 set of sec. post from which

a Beech 10 in. dia. bears S 37° E 17 Ws. dint. S

" Do 14 " " " N 81° W 27 " "

62.08 a Beech 14 " "

80.00 set post cor. of sec. 17, 18, 19 & 20 from which

T. 20 N., R. 6 E. 2. Mer. Ind.^a

Ch. 1st.

a Beech 12 in. dia. bears S 33 E 20 Mr. dist. 3
 a Sugar 16 " " " N 48 W 40 " "
 Land level 2nd rate. Timber Beech, Sugar,
 Ash, Elm, Maple, Sycamore, Gum &c.
 Wpr. Spruce, Ash, Hickory &c.

East on Random between Sec. 17 & 20

40.00 set temp. of sec. point

80.20 Intersect N. & S. line 120 Mr. S. of point—
 Land level 2nd rate. Timber Beech, Sugar,
 Ash, Elm, Oak, Hickory &c. Spruce, Ash &c.

West Corrected between Sec. 17 & 20

14.93 a Beech 14 in. dia.

40.10 set of sec. point at corner, dist. from which
 a Beech 18 in. dia. bears S 84 W 10 Mr. dist. 3
 a Do 20 " " " N 69 E 21 " "

65.35 a Beech 14 " "

80.20 to sec. cor.

West between Sec. 18 & 19

15.90 a Beech 20 in. dia.

40.00 set of sec. point from which
 a Beech 10 in. dia. bears N 44 E 27 Mr. dist. 3
 a Do 10 " " " S 41 W 18 " "

46.00 Duck Creek 50 Mr. wide course S.

72.17 a Beech 20 in. dia.

82.00 Intersect W. Boundary 140 Mr. N. of point—
 set point at intersection cor. of sec. 18 & 19 from which
 a Beech 12 in. dia. bears N 27 W 34 Mr. dist. 3
 a Do 14 " " " S 13 W 10 " "

Land rolling good 2nd rate. Timber Beech, Sugar,
 Ash, Elm, Oak, Hickory &c. Spruce, Ash, Hickory &c.

North between Sec. 17 & 18

10.00 a Brook 12 Mr. wide course W.

17.50 a Beech 12 in. dia.

40.00 set gr. sec. post from which
a W. Elm 40 in. dia. bears N 79 E 23 lbs. dist. 4
a Hickory 14 " " " S 53 W 21 " "

64.00 channel of Brook 10 lbs. wide course W

64.85 a Beech 14 in. dia.

73.50 Duck Creek 50 lbs. wide course SW

80.00 set post cor. of sec. 7, 8, 17 & 18 from which
a Beech 12 in. dia. bears S 14 E 19 lbs. dist. 8
a Lyp. Ash 10 " " " N 30 W 45 " "
Land rolling good 2^d rate. Timber Beech, Sugar,
Ash, Elm, Poplar, Walnut, Lym. S. Spice, Ash &c.

East in Random between Sec. 8 & 17

9.40 Duck Creek 50 lbs. wide course SW

40.00 set temp. gr. sec. post

80.24 Intersect N. S. line 124 lbs. S. of post

Land rolling 2^d rate. Timber Beech, Sugar, Ash,
Elm, Poplar, Walnut & Lyp. Spice, P. Ash &c.

West Corrected between Sec. 8 & 17

13.14 a Beech 12 in. dia.

40.12 set gr. sec. post at aver. dist. from which
a Sugar 10 in. dia. bears South 33 lbs. dist. 8
a Beech 18 " " " N 4 E 46 " "

70.74 a Beech 14 " "

80.24 to sec. cor.

West between Sec. 7 & 18

24.36 a Sugar 12 in. dia.

40.00 set gr. sec. post from which
a Beech 10 in. dia. bears N 61 E 9 lbs. dist. 8
a Poplar 8 " " " S 63 W 32 " "

69.40 a Sugar 12 " "

81.92 Intersect W. Boundary 160 lbs. N. of post
set post at intersection cor. of sec. 7 & 18 from which

T. 20 N., R. 6 E. 2^d Mer. Ind.^o

Ch. Cr.

a Beech 14 in. diam. bears N 83 E 23 W. dist. 8
 a Do 14 " " " S 49 W 6 " "
 Land level 2^d rate. Timber Beech, Sugar,
 Ash, Elm, Poplar, Hickory &c. Spice, Ash &c.

North between Sec. 7 & 8

12.46 a W. Elm 18 in. diam.

20.00 a Brook 10 W. wide curve E.

40.00 set of sec. post from which

a Beech 10 in. diam. bears S 23 W 6 W. dist. 8

a Hambam 5 " " " N 25 E 29 " "

60.63 a W. Elm 18 " "

80.00 set post cor. of sec. 5, 6, 7 & 8 from which

a Beech 14 in. diam. bears N 73 E 26 W. dist. 8

a Sugar 10 " " " S 57 W 25 " "

Land rolling good 2^d rate. Timber Beech,
 Sugar, Ash, Elm, Poplar, Walnut &c. Upr.
 Spice, Ash &c.

East on Random between Sec. 5 & 8

30.00 Duck Creek 50 W. wide curve SW

40.00 set temp. of sec. post

80.12 Intersect N & S line 120 W. S. of post

Land rolling 2^d rate. Timber Beech, Sugar,
 Ash, Elm, Poplar, Walnut, Lym &c. Spice &c.

West Corrected between Sec. 5 & 8

11.44 a Sugar 12 in. diam.

40.06 set of sec. post at aver. dist. from which

a Sugar 24 in. diam. bears S 22 W 24 W. dist. 8

a Do 20 " " " N 16 E 26 " "

67.27 a W. Elm 20 " "

80.12 to sec. cor.

West between Sec. 6 & 7

10.29 a B. Oak 20 in. diam.

T. 20 N., R. 6 E. 2^d Mer. Ind.^a
 Ch. Lk.

31.50 channel of Brook 10 Ws. wide curve SW

40.00 set of sec. post from which

a Beech 14 in. dia. bears N 69° W 22 Ws. dist. 8

a Do 14 " " " S 75° E 26 " "

02.90 a Gray Ash 14 in. dia.

81.17 Intersect N. Boundary 164 Ws. N. of post -

set post at intersection cor. of sec. 6^d from which

a Sugar 24 in. dia. bears N 36° W 10 Ws. dist. 8

a Do 12 " " " S 29° E 22 " "

Land level 2^d rate. Timber Beech, Sugar, Ash,
 Oak, Hickory, Walnut &c. Upr. Spice, Ash,
 Hickory &c.

North between Sec. 5 & 6

18.20 a Beech 12 in. dia.

40.00 set of sec. post from which

a Beech 14 in. dia. bears N 27° E 14 Ws. dist. 8

a Do 12 " " " S 20° W 43 " "

52.96 a W. Elm 14 " "

66.57 Intersect N. Boundary 192 Ws. N. of post -

set post at intersection cor. of sec. 5 & 6 from which

a Gray Ash 6 in. dia. bears N 11° W 27 Ws. dist. 8

a Beech 10 " " " S 15° E 24 " "

Land level good 2^d rate. Timber Beech, Sugar,
 Ash, Elm, Poplar, Walnut, Gum &c. Upr.
 Spice, Ash, Hornbeam. November 19. 1821

Meanders of White River. Right bank up stream.
 Beginning at post in S. Boundary, thence:

Courses	Ch. Lk.	Remarks.
N 29° E	3.50	In Sec. 31
N 27° E	0.50	a Spring
N 5° E	1.50	high Bluff
N 30° E	4.50	
N 53° E	14.00	

T. 20 N., R. 6 E. 2^d Mer. Ind. a

Courses	Chs. Lvs.	Remarks
N70E	19.00	high bank, W. B. Oak &c.
N65E	4.50	a Spring
N62E	25.50	at 17.00 Chs. a Spring - at 24.00 Chs. a Do
N68E	5.50	
N64E	2.14	to put in line between Sec. 31 & 32 44.18 Chs. North of Sec. corner
N75E	5.50	In Sec. 32
S84E	7.00	
N72E	6.50	
N40E	3.00	
S88E	8.00	mouth of Pipe Creek 10 Ws. wide corner from NE
N80E	9.50	
S65E	8.50	
S82E	7.50	
N85E	9.50	
S84E	5.50	
N80E	5.50	
N48E	4.50	
N67E	4.17	to put in line between Sec. 32 & 33 50.64 Chs. North of Sec. corner.
N80E	10.00	In Sec. 33 - at 9.00 Chs. a Rippled fish-trap
S83E	14.00	
S50E	8.50	
East	6.00	
N59E	5.00	
N35E	4.50	
N10E	6.00	
N32E	4.00	
N59E	5.50	
N80E	8.00	
S85E	3.00	
S72E	5.00	
S20E	7.50	at 5.00 Chs. a Ripple
S64E	2.50	

T. 20 N., R. 6 E. 2^d Mer. Ind^a.

Course Chs. Mts.

Remarks

N70E 2.50

N43E 6.00

N14E 2.64 to port in line between Sec. 33 & 34
59.98 Chs. North of Sec. corner

N81E 4.00 In Sec. 34

S61E 5.50

S19E 3.00

South 6.00 at 2.00 Chs. a Rapids

S53E 5.50

S62E 13.50

N79E 7.50 Point of Island

N62E 7.50

N41E 4.50

N85E 4.00

S73E 3.50 at 0.50 Chs. a Brook 8 Mts. wide course from NE

S53E 11.00

S60E 4.50 Head of Island

S37E 5.50

S31E 9.00

S43E 6.00

S38E 6.00

S23E 3.24 to port in line between Sec. 34 & 35
13.14 Chs. North of Sec. corner

S29E 6.50 In Sec. 35

S44E 9.50

S85E 4.70 to port in line between T 19 & 20 N

Beginning again in S. Bound^y of Sec. 35

N35E 7.00 In Sec. 35

N49E 13.00 at 4.00 Chs. a Rapid - at 8.50 Chs. a Spring

N40E 2.00 High bluff

N64E 12.50

S78E 5.50

S39E 5.50 at 2.00 Chs. leave high Bluff

T. 20 N., R. 6 E. 2^d Mer. Ind.^a

Courses Ch. Sp.

Remarks

S65E 7.00 at 2.00 Ch. a Brook 8 M. wide course from N
at 6.00 " a Spring

S36E 7.50

S6E 5.54 to port in S. Boundary.

Beginning at port in S. Bound. of Sec. 36

N35E 7.00 In Sec. 36

N66E 6.00

East 4.50

S58E 4.50

S47E 5.50

S28E 1.78 to port in S. Boundary.

Left bank down stream. Beginning at
port in S. Boundary of Sec. 36, thence:

N44W 4.50 In Sec. 36

N45W 2.00

S81W 1.50

S60W 2.50

S43W 3.84 to port in S. Boundary. Dec. 3, 1821

[This small bend was attached to Sec. 1, T19N]

Beginning at port in S. Bound. of Sec. 35

N89W 7.00 In Sec. 35

N49W 6.00

N79W 7.50

N51W 3.50

S82W 4.00

S58W 3.50

S53W 9.50 at 8.00 Chs. a Rapid

S42W 5.50

S37W 2.70 to port in S. Boundary.

Beginning again at port in S. Bound. of Sec. 35

N46W 2.00 In Sec. 35 - enter Prairie

N33W 7.29 to port in line between Sec. 34 & 35

T. D. N., R. O. L. Mer. Ind.^a

Cannon Ch. Sk.

Remarks

7.50 Ch. North of Sec. corner

N33W 9.50 In Sec. 34

N39W 12.00

N32W 7.00

N41W 7.00

N50W 2.00

N60W 3.50 leave Prairie

N78W 11.00 at 2.00 Ch. Head of Island

S83W 3.00 Point of Island

S60W 6.50

S45W 6.50

N82W 5.50

N68W 8.50

N71W 6.00

N40W 6.00

N44W 9.50 at 5.00 Ch. a Ripple

N89W 4.50 to put in line between Sec. 33 & 34
57.24 Ch. North of Sec. corner

S46W 9.00 In Sec. 33

N74W 6.00 at 3.00 Ch. enter Prairie

N33W 9.00 at 3.50 " a Ripple & leave Prairie

N77W 5.00

S77W 7.50

S " W 5.00

S4W 5.00

S16W 7.50 at 2.00 Ch. a Ripple

S65W 9.00 a high bank

N83W 9.50 at 4.00 Ch. a Grave yard

N " W 8.00 at 1.00 " leave high bank & enter low

West 4.00 a Rapids & Fish trap

1 wet bottom

N79W 6.00

West 4.50

S83W 7.81 to put in line between Sec. 32 & 33

48.50 Ch. North of Sec. corner.

T. 20 N., R. 6 E. 2^d Mer. Ind.^a

Courses & Ch. Sp.

Remarks.

S40°W 6.50 In Sec. 32

S84°W 10.00

N88°W 8.00

S86°W 11.00

N64°W 8.00

N79°W 5.00

S83°W 16.50 at 11.00 Ch. Head of Bayou

S59°W 8.00 at 3.50 " mouth of Do

S86°W 3.00

N78°W 7.00

S70½°W 2.76 to put in line between Sec. 31 & 32
41.10 Ch. North of Sec. corner

S65°W 7.00 In Sec. 31

S58°W 7.50

S63°W 49.50 at 45.00 Ch. a Spring

S42°W 5.50

S26°W 3.00

S22°W 7.00

S37°W 3.61 to put in S. Boundary
December 4, 1821Thomas Brown
Deputy Surveyor.

I certify that the foregoing transcript of
Field Notes of the survey of Township N. 20
North, of Range N. 6 East of the 2^d Principal
Meridian, in the State of Indiana, has been
compared with the original on file in this
office, and found to be correct.

Surveyor General's Office,
Cincinnati, Feb. 11, 1845

William Johnston
Sur. Genl

Compd